


TWIN TRACK 47

TECHNICAL SPECIFICATIONS



PHYSICAL CHARACTERISTICS		
Frame	Steel	
Cabinet	Aluminum	
Length	47 1/2 In	1207 mm
Width	29 1/4 In	743 mm
Height	14 5/16 In	364 mm
Weight	630 lbs	286 kg
Ground clearance	2 1/4 In	57 mm
Turning diameter	53 1/2 In	1359 mm
Load bearing capacity (INCLINED SURFACE)	600 lbs at 40°	272 kg à 40°
Load bearing capacity (ON STAIRS)	600 lbs at 40°	272 kg à 40°
Load bearing capacity (FLAT SURFACE)	2200 lbs	1000 kg
Max. speed (FLAT SURFACE)	44 ft/mIn	13.4 m/mIn

POWER	
Motor power	3/4 HP (x2)
Gearbox ratio	100:1 (x2)
POWER FEATURES	
Batterles Amperage/Voltage	85 Amps at 12 volts (x2)
Charger	Integrated AC-DC (x1)
Battery Pack Amperage	85 Amps
Operatng voltage	24 VDC
Continous Run-time	1.5 hours approx. (WITHOUT LOAD, FLAT)
Battery Rechargng Tlme	5.5 hours approx.



TT-47 TURNING CIRCLE: 53.5"